

All Gynaecological referrals (except 2 week-wait referrals) will be processed by The Gynaecology Collaborative

Secondary Amenorrhoea Pathway

Menstrual History Obstetric History & Breastfeeding Gynaecological History & Procedures (Endometrial Ablation) Contraception and Sexual Health History Weight Changes (Weight Loss, Eating Disorders, Chronic Illness) Exercise History, Professional Sports		Examination: Weight & Height BMI (Low in Eating Disorders, Female Athlete) Acne, Hirsutism or Virilization (Excess Androgens) Cushingoid Features Thyroid Eye Signs, Goitre	s) Investigations: LH & FSH Prolactin Testosterone TFTs USS Pelvis	Cessati previou Cessati	Definition: Cessation of menstruation for 3-6 months, previously normal & regular menses OR Cessation of menstruation for 6-12 months in previous oligomenorrhoa			
		Visual Fields (Pituitary Tumour) Galactorrhoea (Prolactinoma)		FSH	LH	Prolactin	Testosterone	
		Vaginal Atrophy (oestrogen deficiency)	Hyperprolactinaemia	\rightarrow/\downarrow	\rightarrow/\downarrow	\uparrow	\rightarrow	
			PCOS	\rightarrow	\rightarrow/\uparrow	→/↑	→/ ↑	
			Ovarian Failure	$\uparrow\uparrow$	$\uparrow \uparrow$	\rightarrow	\rightarrow	
		Primary Care Management	Hypothalamic (stress, weight loss, excessive exercise)	\downarrow/\rightarrow	\downarrow/\rightarrow	\rightarrow	\rightarrow	
PCOS, Refer to PCOS Pathway		Consider Osteoporosis Prophylaxis if amenorrho > 12 months Contraception if not planning to conceive. Ovulation can occur spontaneously.	oea					
Trying to Conceive	Premature Ovarian Insufficiency	Hyperprolactinaemia >1000 or 500-1000 on 2 occasions	Raised Androgens Not explained by PCOS		Low FSH & LH			
						$\overline{\mathbf{V}}$	7	
Refer Gynaecology Collaborative	Refer Gynaecology Collaborative	Refer Endocrinology	Refer Endocrinology		Refer Endocrinology to exclude hypopituitarism/tumour			

Please consider further guidance at https://cks.nice.org.uk/amenorrhoea#!scenario:1

Created July 2020, Review July 2025 Dr Belinda Solomon Based on most recent published guidelines In collaboration with local consultant gynaecologists