



You have a

Suspected Achilles Tendon Injury

This is a possible tear to the tendon at the back of your ankle.

Healing:

If confirmed, this normally takes approximately nine to ten weeks to heal. Full rehabilitation can take one year.

You may have an ultrasound scan to assess the tendon to confirm your diagnosis.

Smoking will slow down your healing. We would advise that you stop smoking while your injury heals. Talk to your GP or go to www.smokefree.nhs.uk for more information.

Pain and swelling:

Your ankle may be swollen and you will have some pain. Swelling is often worse at the end of the day.

Taking pain medication and elevating your ankle will help.

Walking and your boot:

You must use the boot with wedges. Keep the boot on all the time, including in bed at night. Always wear a sock in the boot. Please tell us if you are diabetic; you may need a special boot.

You are allowed to put weight through your foot. You may find it easier to use crutches in the early stages.



Follow up:

You may have been referred for an ultrasound scan. If this is the case, the Virtual Fracture Clinic team will call you to discuss the results of your scan and the next stage of your care.

Any questions:

If you are concerned about your symptoms or are unable to follow this rehabilitation plan, please contact the Virtual Fracture Clinic team.



Caring for your injury

Personal Hygiene:

You should remove the boot carefully for washing and to change your sock once a day.

Whilst doing this, you must always keep the toes pointed down, as shown in this picture.

Do not stretch the calf or do any ankle exercises. This will disrupt tendon healing and your long-term recovery.

It is important to keep your foot as dry as possible in your boot. If you notice any redness, soreness or damage to your skin please inform our team immediately.



Preventing a Deep Vein Thrombosis (DVT):

You are not allowed to do any exercises with this ankle for a number of weeks. This puts you in a higher risk group for developing a DVT (blood clot) which could potentially have very serious effects.

You will have been prescribed a course of Enoxaparin (a type of heparin), which is blood thinner. This is given daily by injection normally for the first four weeks. You will be shown the injection technique. Try to have this medication at the same time every day. If you have any questions about this, or if you have a reaction to the medication, please speak to your GP or district nurse.

The used injections **MUST** be disposed of safely in the yellow 'Sharps Bin' provided.



Frequently Asked Questions

I am struggling with my boot. What do I do?

The boot has a thicker sole; this can make you feel uneven. Make sure you wear a supportive shoe or trainer on your uninjured foot. This will reduce stress on other joints.

You may find this video helpful: <https://vimeo.com/386673062>

If you need more advice contact the Virtual Fracture Clinic.

I am diabetic, does this change things?

If you are diabetic please contact us to discuss your boot. This is particularly important if you have problems with your skin or sensation. We may provide you with a specialist diabetic boot.

When can I start driving?

You can return to driving when:

- You are no longer using your boot,
- You can walk comfortably and
- You can perform an emergency stop pain free.

Always test your ability to drive in a safe environment first.

How can I get a certificate for work?

You can get a fitness for work statement from your GP.

What do I do with my boot and crutches when I no longer need them?

We are not able to use boots again. These should not be returned to the hospital.

Crutches can be returned to the Fracture Clinic or A&E.

How do I contact the Virtual Fracture Clinic?

Phone: 020 7288 3310



Patient advice and liaison service (PALS)

If you have a compliment, complaint or concern please contact our PALS team on 020 7288 5551 or whh-tr.whitthealthPALS@nhs.net

If you need a large print, audio or translated copy of this leaflet please email whh-tr.patient-information@nhs.net. We will try our best to meet your needs.

[Twitter.com/WhitHealth](https://twitter.com/WhitHealth)
[Facebook.com/WhittingtonHealth](https://facebook.com/WhittingtonHealth)

Whittington Health NHS Trust
Magdala Avenue
London
N19 5NF
Phone: 020 7272 3070
www.whittington.nhs.uk

Date published: 07/02/2022
Review date: 07/02/2024
Ref: SC/T&O-VFC/SATI/01

© Whittington Health
Please recycle

