



CT Colonography Bowel Preparation & Diet Sheet (40ml Gastrografin®)


Please read this information and follow the instructions carefully before your CT colonography scan. The test depends on your large bowel being as empty as possible by taking the 'Gastrografin®' liquid that our pharmacy will send out to you in a separate envelope in the post. Otherwise the test may have to be repeated.

If you are unable to complete the preparation or follow the instructions, please contact the Imaging Department before attending your appointment on the above number.

In this pack you will find:

- **Two 20ml bottles of Gastrografin®**
- **One 5ml measuring spoon**

Gastrografin® is essential to prepare your bowel for the test. It contains iodine and tastes quite strong. **It can have a laxative effect (may give diarrhoea)**



If you have been told that you are allergic to X-ray dye (contrast), which contains iodine, then call us before going any further ☎ **02072885888**



3 Days before your test :

Stop any iron tablets, but continue to take all other medications and laxatives you usually take.



3 Days before your test:

Eat only low fibre foods, which includes the following:



- Milk (2 cups per day), plain yoghurt, cheese, butter, margarine.
- White fish or chicken (boiled, steamed or grilled).
- Eggs, tofu, white pasta, white rice, white bread.
- Potatoes with no skin (e.g. mashed, boiled).
- Clear soups (no solid bits e.g. sieved chicken noodle), Bovril, Oxo.
- Clear jelly, boiled sweets, ice cream, chocolate (no fruit or nut pieces).
- Salt, pepper, sugar, sweeteners and honey.

Have plenty to drink throughout the day:

- Water, tea, coffee, squash, fizzy drinks, clear fruit juices (e.g. apple/ cranberry).

Do not eat high fibre foods, such as:



- Red meat, pink fish (e.g. salmon)
- Fruit, vegetables, salad, mushrooms, sweetcorn.
- Cereals, nuts, seeds, pips, bran, beans, lentils.
- Brown bread, brown or wild rice, brown pasta.
- Pickles, chutneys.



3 Days Before your test:



Eat a low fibre diet throughout all of today



At Breakfast:

- Eat only low fibre foods (see list on Page 1).
- Take **TWO 5ml** spoonfuls (10mL) of **Gastrografin®** from the **first bottle**
- **DO NOT MIX IT WITH WATER**

**10mls (two
5ml spoonfuls)**



At Lunch:

- Eat only low fibre foods (see list on Page 1).



At Dinner:

- Eat only low fibre foods (see list on Page 1).



Diabetic patients only:

Take insulin/ diabetic tablets as normal



2 Days Before your test:



Eat a low fibre diet throughout all of today



At Breakfast:

- Eat only low fibre foods (see list on Page 1).
- Take **TWO 5ml** spoonfuls (10mL) of **Gastrografin®** from the **first bottle**
- **DO NOT MIX IT WITH WATER**

**10mls (two
5ml spoonfuls)**



At Lunch:

- Eat only low fibre foods (see list on Page 1).



At Dinner:

- Eat only low fibre foods (see list on Page 1).



Diabetic patients only:

Take insulin/ diabetic tablets as normal



The Day **BEFORE** your test:



Diabetic patients only:

- Check blood sugar four times during the day
- If at any point your blood sugar is below 5, drink clear sugary liquids to avoid a 'hypo'.



Continue the low fibre diet throughout all of today.



At Breakfast:

- Eat only low fibre foods (see list on Page 1).
- Take **TWO 5ml** spoonfuls (10mL) of **Gastrografin®** from the **second bottle**
- **DO NOT MIX IT WITH WATER**

**10mls (two
5ml spoonfuls)**



At Lunch:

- Eat only low fibre foods (see list on Page 1).



At Dinner:

- Eat only low fibre foods (see list on Page 1).



Diabetic patients only:

Take insulin/ diabetic tablets with your breakfast



On The Day of the test:



Do not eat any solid food, you may drink water or sugary drinks. You can eat and drink normally as soon as the test is finished.



At 5AM:

- Take **TWO 5ml** spoonfuls (10mL) of **Gastrografin®** from the **second bottle**.
- **DO NOT MIX IT WITH WATER**

**10mls (two
5ml spoonfuls)**





Diabetic patients only:

If you have a **Morning** appointment:

- Continue to drink clear sugary fluids.
- DO NOT take anymore insulin/ diabetes tablets until after the test.
- Check blood sugar if you can before arriving at the hospital.
- Bring insulin/ diabetic tablets and a light meal (e.g. sandwich) with you to the hospital to have after the test.

If you have a **Afternoon** appointment:

- Continue to drink clear sugary fluids.
- Take **half** your normal dose of insulin in the **morning** only.
- **Do not** take diabetes tablets.
- Check blood sugar if you can in the morning and before arriving at the hospital.
- Bring insulin/ diabetic tablets and a light meal (e.g. sandwich) with you to the hospital to have after the test.

Produced by UCLH and used with their kind permission.

Patient advice and liaison service (PALS)

If you have a compliment, complaint or concern please contact our PALS team on 020 7288 5551 or whh-tr.PALS@nhs.net

If you need a large print, audio or translated copy of this leaflet please email whh-tr.patient-information@nhs.net We will try our best to meet your needs.

[Twitter.com/WhitHealth](https://twitter.com/WhitHealth)
[Facebook.com/WhittingtonHealth](https://facebook.com/WhittingtonHealth)

Whittington Health NHS Trust
Magdala Avenue
London
N19 5NF
Phone: 020 7272 3070
www.whittington.nhs.uk

Date published: 26/02/2024
Review date: 26/02/2026
Ref: ACW/Imag/CTCPGGRRedP/02
© Whittington Health
Please recycle